

January 31, 2012

Lafourche Parish Council Members
Lafourche Parish President
Lafourche Parish Department Heads
News Media

Ladies and Gentlemen:

This is to advise you that notice is hereby given that a **SPECIAL MEETING** of the Lafourche Parish Council has been called for **Thursday, February 2, 2012, at 5:00 p.m.,** to be held in the Mathews Government Complex, 4876 Highway 1, Mathews, Louisiana 70375.

The attached agenda provides you with a description of the item to be taken up at this meeting.

Sincerely,

LAFOURCHE PARISH COUNCIL



Joseph E. Fertitta, Chairman
Lafourche Parish Council

cbb

PUBLIC NOTICE

L A F O U R C H E P A R I S H C O U N C I L
G O V E R N I N G A U T H O R I T Y
S P E C I A L M E E T I N G N O T I C E A N D A G E N D A

AGENDA FOR MEETING TO BE HELD: Thursday, February 2, 2012

**PLACE: Mathews Government Complex, 4876 Highway 1,
Mathews, Louisiana 70375**

TIME: 5:00 P.M.

CALL TO ORDER: Mr. Joseph "Joe" Fertitta, Chairman

ROLL CALL: Mr. Jerry Jones
Mr. Michael Delatte
Mr. Aaron Caillouet
Mr. Joseph "Joe" Fertitta, Chairman
Mr. John Arnold
Mr. Lindel Toups, Vice-Chairman
Mr. Phillip Gouaux
Mr. Jerry LaFont
Mr. Daniel Lorraine
Ms. Charlotte Randolph, Parish President

INVOCATION: Mr. John Arnold

PLEDGE OF ALLEGIANCE: Mr. Lindel Toups

* * * * *

NOTICE TO THE PUBLIC: If you wish to address the Council, please complete the "Public Wishing to Address the Council" form located at the back of the meeting room and return it to the Council Chairman or Council Clerk prior to the beginning of the meeting.

In accordance with the Americans with Disabilities Act, if you need special assistance, please contact the Lafourche Parish Council Clerk's Office at (985) 446-8427 describing the assistance that is necessary.

LPC

FEBRUARY 2, 2012

SPECIAL SESSION

A. RESOLUTION:

1. RESOLUTION accepting the low bid of _____ in the amount of \$ _____ for replacement of Burma Road Bridge over Hollywood Canal (Project #11-036) and authorizing the Parish President to sign, execute and administer an agreement and any and all relevant documents. (J. FERTITTA FOR ADMINISTRATION)

B. ADJOURNMENT:

On motion by _____ seconded by _____, and with no further business, the Lafourche Parish Council Special Meeting of **February 2, 2012** adjourned at _____.

ITEM 1

On motion by _____, seconded by _____, the following resolution was introduced and adopted;

RESOLUTION NO. ____

A RESOLUTION ACCEPTING THE LOW BID OF _____ IN THE AMOUNT OF \$ _____ FOR REPLACEMENT OF BURMA ROAD BRIDGE OVER HOLLYWOOD CANAL (PROJECT #11-036) AND AUTHORIZING THE PARISH PRESIDENT TO SIGN, EXECUTE AND ADMINISTER AN AGREEMENT AND ANY AND ALL RELEVANT DOCUMENTS.

WHEREAS, the Burma Road Bridge (Structure #P2929441904651) was declared structurally deficient following Department of Transportation and Development inspection under Recall No. 200818, and was ordered immediately closed effective July 6, 2011. Following LADOTD'S National Bridge Inspection Directive 5, Badeaux Engineers inspected and confirmed irreparable structural deficiencies warranting complete removal and replacement of said bridge; and

WHEREAS, fifteen (15) bids were received on January 31, 2012 (see attached); and

WHEREAS, _____ is the lowest responsible bidder in the amount of \$ _____; and

WHEREAS, it is the recommendation of Badeaux Engineers, Inc. and this Administration that said low bid be accepted; and

WHEREAS, this resolution was sponsored for Administration by Mr. Joseph Fertitta, Councilman, District 4; and

WHEREAS, it is recommended by the Administration of Lafourche Parish Government that the Council does hereby accept the low bid of \$ _____ by _____ for the replacement of Burma Road Bridge over Hollywood Canal (Project #11-036) and authorizes the Parish President to sign, execute and administer an agreement and any and all relevant documents.



THEREFORE, BE IT RESOLVED, that the Lafourche Parish Council convened in special session on February 2, 2012, and does hereby accept the low bid of \$ _____ by _____ for the replacement of Burma Road Bridge over Hollywood Canal (Project #11-036) and authorizes the Parish President to sign, execute and administer an agreement and any and all relevant documents.

ITEM 1

BE IT FURTHER RESOLVED, that a certified copy of this resolution shall be forwarded to Badeaux Engineers, Inc., 115 East Sixth St., Thibodaux, LA 70301, Attention: Al Badeaux; Lafourche Parish Government Department of Public Works, Department of Finance, Office of Risk Management, and Office of the Parish Administrator.

This resolution having been submitted to a vote, the vote thereon was as follows:

YEAS:

NAYS:

ABSENT:

And the resolution was declared adopted this _____ day of _____.

**JOSEPH E. FERTITTA, CHAIRMAN
LAFOURCHE PARISH COUNCIL**

**CARLEEN B. BABIN, COUNCIL CLERK
LAFOURCHE PARISH COUNCIL**

* * * * *

I, CARLEEN B. BABIN, Council Clerk for the Lafourche Parish Council, do hereby certify that the foregoing is a true and correct copy of Resolution No. _____, adopted by the Assembled Council in Regular Session on _____, which meeting a quorum was present.

GIVEN UNDER MY OFFICIAL SIGNATURE AND SEAL OF OFFICE THIS _____,
DAY OF _____, 2012.

**CARLEEN B. BABIN, COUNCIL CLERK
LAFOURCHE PARISH COUNCIL**

ITEM 1



P.O. Drawer 5548 • Thibodaux, LA 70302 • Telephone 985.446.8427
Thibodaux 800.834.8832 Fax 985.446.8459 • Raceland 800.794.3160 Fax 985.537.7707
www.lafourchegov.org

Charlotte A. Randolph, Parish President

Department of Public Works

Certified Mail/Return Receipt # 7010 1870 0003 6402 2056

July 12, 2011

Mr. John E. Guidry
District 02 Bridge Maintenance Engineer
Department of Transportation & Development
P. O. Box 9180
Bridge City La. 70096-9180

RE: Structure No. P2929441904651
Burma Road Bridge

Dear Mr. Guidry:

The Burma Road Bridge, Recall No.-200818, was immediately physically closed to vehicular traffic on Wednesday, 7/6/11, as per LADOTD's request. The bridge will remain closed until repairs are complete and your office has been contacted.

Mr. Al Badeaux with Badeaux Engineers Inc. Consulting Structural and Civil Engineers has been contracted and began working on repair/construction documents.

If you have any questions or comments please feel free to contact Steve Folsie at (985) 493-6951 or stevef@lafourchegov.org.

Sincerely,

Charlotte Randolph
Lafourche Parish President

Charlotte A. Randolph	Parish President	Matt Matherne	District 5
Jerry Jones	District 1	Lindel Toups	District 6
Michael Delatte	District 2	Phillip Gouaux	District 7
Louis Richard	District 3	Rodney Doucet	District 8
Joseph "Joe" Fertitta	District 4	Daniel Lorraine	District 9

ITEM 1

07-11-11 11:44 AM



BOBBY JINDAL
GOVERNOR

STATE OF LOUISIANA
DEPARTMENT OF TRANSPORTATION AND DEVELOPMENT
P.O. Box 9180
Bridge City, Louisiana 70094-9180
www.dotd.la.gov
(504)437-3128



SHERI H. LEBAE, P.E.
SECRETARY

July 6, 2011

Charlotte Randolph
Lafourche Parish Government
P.O. Box 5598
Thibodaux, LA. 70302

Dear Ms. Randolph,

During a Bridge Inspection performed on July 6, 2011, by our personnel on the bridge over Hollywood Canal, several severe deficiencies were found by our inspectors. I am recommending that the bridge be closed to traffic immediately until a review can be completed by the Parish Engineer and / or until the critical deficiencies are repaired.

Please follow LADOTD's National Bridge Inspection Directive 5 accordingly. Thank you for your cooperation with this matter. If you have any questions, please feel free to contact me.

Respectfully,

John E. Guidry
LA DOTD, District 02
Bridge Maintenance Engineer
Office- (504) 437-3112
Cell- (504)437-0777
Fax- (504)437-3134
john.guidry@la.gov

ITEM 1

STATE OF LOUISIANA
DEPARTMENT OF TRANSPORTATION AND DEVELOPMENT

BRIDGE INSPECTION REPORT

DISTRICT	PARISH	ROUTE	STRUCTURE NUMBER	RECALL NUMBER	
Bridge City	Lafourche	LOCAL ROAD	P2929441904651	200818	
CROSSING DESCRIPTION	LENGTH	BRIDGE TYPE	YEAR BUILT	ADT	POSTED LOAD
HOLLYWOOD CANAL	57.08 ft	COPCSS	1968	100	10-

CONDITION				INSPECTION	
Total Rating:	6	Deck:	6	Channel:	7
Overall Rating:	2	Superstructure:	6	Culvert:	N
Traffic Services:	5	Substructure:	2		
				Inspection Date:	7/6/2011
				Frequency:	24
				Next Inspection:	7/6/2013

APPRAISAL					
Waterway Adeq:	7	Bridge Railings:	0	Guardrail Ends:	N
Approach Align:	6	Transitions:	N	Pier Protection:	Not Applicable (P)
Surface Thickness:	0 in.	Appr Guardrail:	N	Scour Critical:	Unknown (NBI)

IMPROVEMENTS			
Proposed Work (1):	Unknown	Proposed Work (2):	Not Applicable
Work Done By (1):	Unknown	Work Done By (2):	Not Applicable

SPECIAL DETAILS	ACCESS EQUIPMENT	ATTACHMENTS
Pin & Hanger: -	Reach-All: 0 hours	Sketches: N
2-Girder System: -	Bucket Truck: 0 hours	Photographs: Y
2-Truss System: -	Marsh Buggy: 0 hours	Streambed Profile: Y
Suspension Spans: -	Scaffolding: 0 hours	Timber Rating: N
X-Girder/Floor Beams: -	Boat: 1 hours	588 Steel Form: N
Pier Caps: -	Ladder: 0 hours	Movable Bridge Insp.: N

PERSONNEL RESOURCES	INSPECTOR
No. of Inspectors: 2	Inspected By: Jason M. Faucheaux
Man Hours: 3.0	Approved By:
Team Leader Initials: JMF	Date Approved:

CONFIDENTIAL - PRIVILEGED - NON-DISCLOSUREABLE INFORMATION
The information set forth in this document is privileged, confidential and exempt from disclosure under 23-12 R.S. 9-409 and other applicable law. If you receive this information in error, you are on notice that any unauthorized examination, disclosure, copying, distribution, or taking of any action regarding this information is prohibited and you are requested to immediately call and return this information unexamined and uncopied to the sender.

ITEM 1

STATE OF LOUISIANA
DEPARTMENT OF TRANSPORTATION AND DEVELOPMENT

BRIDGE INSPECTION REPORT

ELEMENT CONDITIONS AND NOTES				Quantity State				
Str unit	Elem/Env	Description	Total Qty Units	1	2	3	4	5
10	36/2	Slab-PC-LW-Bare	1,824 (SF)	0	1,824	0	0	0
SPAN 1, PANEL 5 IS SPALLED. (PHOTO 1)								
SPAN 1 IS SPALLED ON THE UNDER SIDE WITH EXPOSED REBAR. (PHOTO 2)								
10	206/2	Column-Timber	24 (EA)	20	0	0	4	0
PILES AT BOTH ABUTMENTS ARE SEVERELY SPLIT AND ARE BEARING NO LOAD. (PHOTOS 3-4)								
10	215/2	Abutment-Concrete	64 (LF)	0	0	0	64	0
BOTH ABUTMENT CAPS ARE ROTATED BACK, PILES ARE SEVERELY SPLIT, AND BACKWALLS ARE BULGING OUT PUTTING PRESSURE ON THE PILES. (PHOTOS 3 - 6 ON THE NEAR SIDE AND 7 - 8 ON THE FAR SIDE)								
10	238/2	Cap-Conc-LW	64 (LF)	64	0	0	0	0
10	301/2	Deck Joint-Pour Seal	128 (LF)	0	128	0	0	0
INCOMPRESSIBLES IN JOINTS. (PHOTO 9)								
10	321/2	Appr Slab-Conc-Reinf	2 (EA)	2	0	0	0	0
10	330/2	Rail System-Metal	160 (LF)	160	0	0	0	0
10	380/2	Traffic Serv Sm Fig	1 (EA)	1	0	0	0	0
NEAR SIDE LEFT GUARDRAIL END HAS COLLISION DAMAGE. (PHOTO 10)								

BRIDGE NOTES

INSPECTION NOTES

Inspected by _JMF BJR

ITEM 1

<u>BIDDER:</u>	<u>BASE BID:</u>
1. Circle Construction	\$495,077.00
2. Gray Construction Corp.	\$439,992.00
3. Shavers-Whittle Construction, LLC	\$435,000.00
4. Low Land Construction, Co., Inc.	\$473,000.00
5. Cecil D. Gassiott, LLC Contractor	\$584,000.00
6. JB James Construction, LLC	\$619,000.00
7. Volute, Inc.	\$458,840.00
8. F. Miller Construction, LLC	\$564,095.00
9. Boh Bros Construction, LLC	\$561,950.00
10. LL&G Construction	\$524,500.00
11. Sealevel Construction, Inc.	\$393,300.00
12. Coastal Bridge Company	\$407,969.00
13. Aquaterra Contracting, LLC	\$524,849.00
14. Dolphin Services, LLC	\$376,689.00
15. Cycle Construction	\$610,121.00

**** UNCERTIFIED BIDS**